UI (User Interface) Settings Tab

1 CONTENTS

1	Ther	nes	3
	1.1	JQuery UI	4
2	View	vs to Generate	5
	2.1	List with Add, Edit Redirect & Delete	6
	2.2	Add New Record	6
	2.3	Update Record	7
	2.4	Record Details (Read Only)	7
	2.5	List (Read-Only)	8
	2.6	List with Add, Edit, & Delete (Same Page)	8
	2.7	List with Grouping	9
	2.8	List with Totals	9
	2.9	List with Totals and Grouping	. 10
	2.10	List with Search	. 11
	2.11	List with Scroll-Loading Data	. 11
	2.12	List with Inline Add and Edit	. 12
	2.13	List with Manual For Each Loop	. 12
	2.14	List with Master Detail (Grid)	. 13
	2.15	List with Master Detail (Sub Grid)	. 14
	2.16	List with Multiple Delete	. 14
	2.17	List By Foreign Key	. 15
	2.18	Unbound View	. 16
3	View	v Names	. 17
	6.0	ListCrudRedirect (default)	. 17
	3.2	Add (default)	. 17
	3.3	Update (default)	. 17
	3.4	Details (default)	. 18
	3.5	ListReadOnly (default)	. 18
	3.6	ListCrud (default)	. 18
	3.7	ListGroupedBy (default)	. 18
	3.8	ListTotals (default)	. 18
	3.9	ListTotalsGroupedBy (default)	. 18
	6.00	ListSearch (default)	. 19

	6.01	ListScrollLoad (default)	19
	6.02	ListInline (default)	19
	6.03	ListForeach (default)	19
	6.04	ListMasterDetailGridBy (default)	19
	6.05	ListMasterDetailSubGridBy (default)	19
	6.06	ListMultipleDelete (default)	20
	6.07	List By (default)	20
	6.08	Unbound (default)	20
4	Мос	lel View Controller (MVC)	20
	4.1	Controller and View Relationship	21

The UI Settings Tab is where we set generated User Interface-specific information such as the ASP.NET MVC views file naming and views to generate.

Selected Tables Selected Views	Database Settings	Code Settings	UI Settings	App Settings	
Themes					
JQuery UI: Redmond		~			
 Views to Generate 		View N	ames		
👔 🔽 List with Add, Edit Redir	ect. & Delete	ListCrud	Redirect		
Add New Record		Add			
Q Update Record		Update			
 Record Details (Read-C 	Only)	Details			
 List (Read-Only) 	,	ListRead	dOnly		
😮 🔽 List with Add, Edit, & De	elete (Same Page)	ListCrud			
😧 🔽 List with Grouping		ListGrou	ipedBy		
😧 🔽 List with Totals		ListTota	ls		
😧 🔽 List with Totals and Gro	ouping	ListTota	lsGroupedBy		
😧 🗹 List with Search		ListSear	ch		
😧 🗹 List Scroll-Load Data		ListScro	llLoad		
😮 🔽 List with Inline Add & Ed	dit	ListInline	9		
😮 🔽 List with Manual Foreac	ch	ListFore	ach		
😮 🔽 List with Master Detail (Grid)	ListMast	terDetailGridBy		
😮 🔽 List with Master Detail (Sub Grid)	ListMast	terDetailSubGrid	ву	
🚱 🔽 List with Multiple Delete		ListMulti	pleDelete		
😮 🔽 List by Foreign Key		ListBy			
😧 🔽 Unbound View		Unbound	d		
bout Close	Generat	e Code for All Ta	ables	С	ancel

1 THEMES

Themes are used for theming ASP.NET user interface and HTML controls such as an input, select, label, dialog, datepicker (input) tags to name a few.

1.1 JQUERY UI

JQuery UI is a 3rd party plugin. JQuery UI is describe as "...a curated set of user interface interactions, effects, widgets, and themes built on top of the jQuery JavaScript Library". For more information on JQuery UI, please visit their web site at: <u>https://jqueryui.com/</u>.

Ther	nes		
Ø	JQuery UI:	Redmond	\sim

We use 23 JQuery UI themes. The *Redmond* theme is used the default, however, you can choose which theme you would like to use in the drop down list shown below.



JQuery UI Themes

Here is a preview of some of the *JQuery UI* themes we use in the generated code. For more information on how each one of the JQuery UI theme looks like, please go to

https://junnark.com/Products/AspCoreGen3MVC/GeneratedPresentationLayer to see all 23 JQuery UI themes.

ist of Produc	ts	List of Products		List of Products	
Product ID 🗢	Product Name	Product ID ≑	Product Name	Product ID 🗢	Product Name
	1 Chai		1 Chai		1 Chai
	2 Chang		2 Chang		2 Chang
	3 Aniseed Syrup		3 Aniseed Syrup		3 Aniseed Syrup
	4 Chef Anton's Cajun		4 Chef Anton's Cajun Se		4 Chef Anton's Cajun
	5 Chef Anton's Gumbo		5 Chef Anton's Gumbo N		5 Chef Anton's Gumb
	6 Grandma's Boysenb		6 Grandma's Boysenberr		6 Grandma's Boysenb
	7 Uncle Bob's Organic		7 Uncle Bob's Organic D		7 Uncle Bob's Organic
LACK-TIE		BLIZTZER		CUPERTINO	
	ts Product Name		Product Name		Product Name
ist of Produc		List of Products	Product Name 1 Chai	List of Products	
ist of Produc	Product Name	List of Products		List of Products	Product Name
ist of Produc	Product Name 1 Chai	List of Products	1 Chai	List of Products	Product Name 1 Chai
ist of Produc	Product Name 1 Chai 2 Chang	List of Products	1 Chai 2 Chang	List of Products	Product Name 1 Chai 2 Chang
ist of Produc	Product Name 1 Chai 2 Chang 3 Aniseed Syrup	List of Products	1 Chai 2 Chang 3 Aniseed Syrup	List of Products	Product Name Chai Chang Aniseed Syrup
ist of Produc	Product Name 1 Chai 2 Chang 3 Aniseed Syrup 4 Chef Anton's Cajun :	List of Products	1 Chai 2 Chang 3 Aniseed Syrup 4 Chef Anton's Cajun Se	List of Products	Product Name 1 Chai 2 Chang 3 Aniseed Syrup 4 Chef Anton's Cajun 5 Chef Anton's Gumb
ist of Produc	Product Name 1 Chai 2 Chang 3 Aniseed Syrup 4 Chef Anton's Cajun: 5 Chef Anton's Gumbo	List of Products	 Chai Chang Aniseed Syrup Chef Anton's Cajun Se Chef Anton's Gumbo M 	List of Products	Product Name Chai Chang Aniseed Syrup Chef Anton's Cajun

2 VIEWS TO GENERATE

A list of ASP.NET MVC *Views* that can be generated by AspCoreGen 6.0 MVC. Each MVC view can be selected (checked) to signal code generation for the respective view. All views are checked by default.

Note: The *View Names* to the right of each MVC view is directly related to the later. E.g. *the List with Add, Edit, Redirect & Delete* view will be generated with an MVC view name: *ListCrudRedirect*.cshtml.

0	Views to Generate
0	List with Add, Edit Redirect, & Delete
ē	Add New Record
0	Update Record
0	Record Details (Read-Only)
0	List (Read-Only)
0	☑ List with Add, Edit, & Delete (Same Page)
Ø	✓ List with Grouping
Ø	✓ List with Totals
Ø	✓ List with Totals and Grouping
Ø	☑ List with Search
Ø	☑ List Scroll-Load Data
Ø	✓ List with Inline Add & Edit
0	🗹 List with Manual Foreach
Ø	🗹 List with Master Detail (Grid)
Ø	☑ List with Master Detail (Sub Grid)
Ø	☑ List with Multiple Delete
Ø	List by Foreign Key
Ø	Unbound View

2.1 LIST WITH ADD, EDIT REDIRECT & DELETE

A view with a list of items shown in a grid with CRUD functionality. Adding or updating an item redirects to another page (*Add New Record* and *Update Record* shown below respectively).

Add New Produc	<u>sts</u>	ort Ascending or I	Descending			Б	dit Existing Item r	edirects to anothe	r page	\backslash
t of Products	Product Name	Supplier ID	Category ID	Quantity Per Unit	Unit Price	Units In Stock	Units On Order	Reorder Level	Discontinued	
$\mathbf{V}_{\mathbf{i}}$	Chai	1	1	10 boxes x 20 bags	\$18.00	39	0	10		Ø
2	Chang	1	1	24 - 12 oz bottles	\$19.00	17	40	25		Y
3	Aniseed Syrup	1	2	12 - 550 ml bottles	\$10.00	13	70	25		0
4	Chef Anton's Cajun S	2	2	48 - 6 oz jars	\$22.00	53	0	0		0
5	Chef Anton's Gumbo	2	2	36 boxes	\$21.35	0	0	0	\checkmark	0
б	Grandma's Boysenbe	3	2	12 - 8 oz jars	\$25.00	120	0	25		0
7	Uncle Bob's Organic	3	7	12 - 1 lb pkgs.	\$30.00	15	0	10		0
8	Northwoods Cranber	3	2	12 - 12 oz jars	\$40.00	б	0	0		0
9	Mishi Kobe Niku	4	б	18 - 500 g pkgs.	\$97.00	29	0	0	\checkmark	0
10	Ikura	4	8	12 - 200 ml jars	\$31.00	31	0	0		0

- Contains a JQgrid control that has CRUD (Create, Retrieve, Update, Delete) functionality.
- o Adding a new record redirects to another page
- Updating an existing record redirects to another page
- o Delete functionality uses a JQuery UI Pop-up for delete confirmation
- o JQgrid control shows Sort Direction Image in the header
- o JQgrid uses Paging in the footer
- o List retrieves data on demand using Skip/Take logic
- \circ Uses JSON to retrieve small amounts of data for every page or sort operation
- One ASP.NET Core 6.0 View is generated per table

2.2 ADD NEW RECORD

A view with validated input controls used for adding a new record.

Note: The Add New Record view shares the same user interface as the Update Record view, sharing the same Partial View. One of the primary difference between the two is the title/label, one says "Add Record", the other "Update Record".

А	dd Re	cor	d							
							Fo	reigr	Key Field (Field with Data)	
JQuery UI Themes Add Record Customer ID: Employee ID: Order Date: Shipped Date: Ship Via: Freight: Ship Name: Ship Address: Ship City: Ship Ranfor	Unit Pr Units Ir Sele Sele Su Su Su Su Su Su Su Su Su	r ID: ry ID: ry ID: ry Per ice: a Stock ct On ct On ct On Mo 6 13 20	Unit: c e e Tu 7 14 21	Sel a b 9999 9999 We 1 8 15 222	Th 2 9 16 23	Pine Pine Pine Fr 3	0 Sa 4 11		Cancel Product Name is required Client-side Validation Unit Price must be a valid decimal! Unit Price must be a number! Unit Stock must be between - 32768 and 32767 Units On Order must be a number! Foreign Key Field (Field Cancel Product Name: Supplier ID: Category ID: Bigfoot Breweries Unit Price: Unit Price: Escarced Noureaux Exotic Liquids Units In Stock Units On Order: Formaggi Forthini s.r.l. Gai patranae	with Data)
Ship Region: Ship Postal Coc	26	27				2.4			Gai pâturage	

- o Contains JQuery Validation
- o Contains JQuery UI Date Controls for date fields
- o Contains bound Select Tag for foreign fields
- You can get here from the *List with Add, Edit Redirect, & Delete* View when clicking the *Add New Record* link
- One ASP.NET Core 6.0 View is generated per table

2.3 UPDATE RECORD

A view with validated input controls used for updating an existing record.

Note: The Update Record view shares the same user interface as the Add New Record view, sharing the same Partial View. One of the primary difference between the two is the title/label, one says "Add Record", the other "Update Record".

- o Contains JQuery Validation
- o Contains JQuery UI Date Controls for date fields
- o Contains bound Select Tag for foreign fields
- You can get here from the *List with Add, Edit Redirect, & Delete* View when clicking the *Edit/Pencil Icon* link
- One ASP.NET Core 6.0 View is generated per table

2.4 RECORD DETAILS (READ ONLY)

A view with read-only details of a record.

Supplier ID:	2
Company Name:	New Orleans Cajun Delights
Contact Name:	Shelley Burke
Contact Title:	Order Administrator
Address:	P.O. Box 78934
City:	New Orleans
Region1:	LA
Postal Code:	70117
Country:	USA
Phone:	(100) 555-4822
Fax:	
Home Page:	#CAJUN.HTM#
Return Re	tums to the last page

- Shows details of a record (Read-Only)
- You can get here from the *List (Read-Only)* View when clicking the foreign key links

Record Details

o One ASP.NET Core 6.0 View is generated per table

2.5 LIST (READ-ONLY)

A view with a list of items shown in a grid. No CRUD functionality.

ist of Productor		Link to Forei	gn Field's Details P	age					
ist of Produce			/						
Product II 🗢	Product Name	Supplier ID	Category ID	Quantity Per Unit	Unit Price	Units In Stock	Units On Order	Reorder Level	Discontinued
	Chai	1	1	10 boxes x 20 bags	\$18.00	39	0	10	
2	Chang	1		24 - 12 oz bottles	\$19.00	17	40	25	
3	Aniseed Syrup		2	2 - 550 ml bottles	\$10.00	13	70	25	
4	Chef Anton's Cajun Se	2	\mathbf{Y}	48 - 6 oz jars	\$22.00	53	0	0	
5	Chef Anton's Gumbo I	2	2	36 boxes	\$21.35	0	0	0	\checkmark
6	Grandma's Boysenber	3	2	12 - 8 oz jars	\$25.00	120	0	25	
7	Uncle Bob's Organic D	3	Z	12 - 1 lb pkgs.	\$30.00	15	0	10	
8	Northwoods Cranberr	3	2	12 - 12 oz jars	\$40.00	6	0	0	
9	Mishi Kobe Niku	4	<u>6</u>	18 - 500 g pkgs.	\$97.00	29	0	0	\checkmark
10	Ikura	4	<u>8</u>	12 - 200 mljars	\$31.00	31	0	0	
				Page 1	of 19 🕨 🖬 10 🗸				View 1 - 10 o 1
		Page Contro	s: First, Previous, J	ump to a Specific	Page, Next, Last, and	d Number of Items	per Page	Total Number	of Records

- Contains a JQgrid Control. No CRUD functionality (read-only).
- A link to the *Record Details* page is provided for all Foreign Key columns (for details on the foreign key)
- o JQgrid control shows Sort Direction Image in the header
- o JQgrid uses Paging in the footer
- List retrieves data on demand using Skip/Take logic
- \circ $\;$ Uses JSON to retrieve small amounts of data for every page or sort operation
- One ASP.NET Core 6.0 View is generated per table

2.6 LIST WITH ADD, EDIT, & DELETE (SAME PAGE)

A view with a list of items shown in a grid with CRUD functionality. A pop-up shows when adding or updating an item.

List of Products Add New Products Add New tem Link Opens Ope	dd New Products Product Name: Supplier ID: Category ID: Quantity Per Unit: Unit Price: Units In Stock: Units On Order: Reorder Level: Discontinued:		Product Name is required! Foreign Key Field Filled w/ Data Unit Price must be a valid decimal! Units In Stock must be between -32768 and 32767 Units On Order must be a number! Reorder Level must be a number! Client-side Validation	Edit Existing Item Unk opens Modal Pop Up Discontinued
--	---	--	--	---

- o Contains a JQgrid Control that has CRUD (Create, Retrieve, Update, Delete) functionality.
- o Add a new record on the same page with JQuery dialog with validation
- o Update an existing record on the same page with JQuery dialog with validation
- o Delete functionality uses a JQuery UI Pop-up for delete confirmation

- o JQgrid control shows Sort Direction Image in the header
- o JQgrid uses Paging in the footer
- \circ $\;$ List retrieves data on demand using Skip/Take logic
- \circ $\;$ Uses JSON to retrieve small amounts of data for every page or sort operation
- One ASP.NET Core 6.0 View is generated per table

2.7 LIST WITH GROUPING

A view with a list of grouped items (e.g. Employees by DepartmentID). No CRUD functionality.

JIT ASCENU	ng or Descending	Listed in Group	ing						
ist of Produ	ts By Categories								
Product D	Product Hame	Supplier ID	Category ID	Quantity Per Unit	Unit Price	Units In Stock	Units On Order	Reorder Level	Discontinu
Beverages (2	Ttems)								
/	1 Chai	1	-	I 10 boxes x 20 bags	\$18.00	39	0	10	
	2 Chang	1		l 24 - 12 oz bottles	\$19.00	17	40	25	
Condiments	(4 ttem s)								
	3 niseed Syrup	1	:	2 12 - 550 ml bottles	\$10.00	13	70	25	
	4 Chef Anton's Cajun Se	2	:	2 48 - 6 oz jars	\$22.00	53	0	0	
	5 Chef Anton's Gumbo I	2		2 36 boxes	\$21.35	0	0	0	\checkmark
	6 Grandma's Boysenber	3		2 12 - 8 oz jars	\$25.00	120	0	25	
roduce (1 i	ems)								
	7 Uncle Bob's Organic D	3		7 12 - 1 lb pkgs.	\$30.00	15	0	10	
Condiments	(1 item s)								
	8 Northwoods Cranberr	3		2 12 - 12 oz jars	\$40.00	6	0	0	
Meat/Poultr	(1 items)								
	9 Mishi Kobe Niku	4		5 18 - 500 g pkgs.	\$97.00	29	0	0	\checkmark
Seafood (1 it	ems)								
	10 Ikura	4		3 12 - 200 ml jars	\$31.00	31	0	0	
				-	19	_			View 1 - 10

- Contains a JQgrid Control. No CRUD functionality (read-only).
- Shows grouping by the respective group
- Shows count per respective group
- o Collapsible or expandable grid per group
- o E.g. List of Orders by Shipper, List of Territories by Region
- o JQgrid control shows Sort Direction Image in the header
- JQgrid uses Paging in the footer
- List retrieves data on demand using Skip/Take logic
- Uses JSON to retrieve small amounts of data for every page or sort operation
- One ASP.NET Core 6.0 View is generated for each table referencing the current table

2.8 LIST WITH TOTALS

A view with a list of items with totals in the footer shown in a grid. No CRUD functionality.

	Sort Ascending o	r Descending			Tota	ls per Page			
of Products						1			
oduct II 🔶 🚽	Product Name	Supplier ID	Category ID	Quantity Per Unit	Unit Price	Units In Stock	Units On Order	Reorder Level	Discontinu
U 1	Chai	1	1	10 boxes x 20 bags	\$18.00	39	0	10	
2	Chang	1	1	24 - 12 oz bottles	\$19.00	17	40	25	
3	Aniseed Syrup	1	2	12 - 550 ml bottles	\$10.00	13	70	25	
4	Chef Anton's Cajun Se	2	2	48 - 6 oz jars	\$22.09	53	0	0	
5	Chef Anton's Gumbo I	2	2	36 boxes	\$21.5	0	0	0	\checkmark
6	i Grandma's Boysenber	3	2	12 - 8 oz jars	\$25 00	120	0	25	
7	' Uncle Bob's Organic D	3	7	12 - 1 lb pkgs.	\$30.00	15	0	10	
8	Northwoods Cranberry	3	2	12 - 12 oz jars	\$40.00	6	0	0	
g	Mishi Kobe Niku	4	6	18 - 500 g pkgs.	\$97.00	29	0	0	\checkmark
10) Ikura	4	8	12 - 200 ml jars	31.00	31	0	0	
					\$313.35				
				ra ka Page 1 of	19 🕨 🖬 10 🗸				View 1 - 10

- Contains a JQgrid Control. No CRUD functionality (read-only). 0
- Shows totals on the footer for money fields 0
- JQgrid control shows Sort Direction Image in the header 0
- JQgrid uses Paging in the footer 0
- List retrieves data on demand using Skip/Take logic 0
- Uses JSON to retrieve small amounts of data for every page or sort operation Ο
- One ASP.NET Core 6.0 View is generated for tables that have money data fields only 0

2.9 LIST WITH TOTALS AND GROUPING

A view with a list of grouped items (e.g. Employees by DepartmentID) with total count per group in the footer. No CRUD functionality.



Page Controls: First, Previous, Jump to a Specific Page, Next, Last and Number of Items per Page

- Contains a JQgrid Control. No CRUD functionality (read-only). 0
- Shows grouping by the respective group 0
- Shows count per respective group 0
- Collapsible or expandable grid per group
- E.g. List of Orders by Shipper, List of Territories by Region Ο
- JQgrid control shows Sort Direction Image in the header 0
- JQgrid uses Paging in the footer 0
- List retrieves data on demand using Skip/Take logic 0
- Uses JSON to retrieve small amounts of data for every page or sort operation 0
- Shows totals on the footer of each group for money fields 0
- One ASP.NET Core 6.0 View is generated for tables that have money data fields only 0

2.10 LIST WITH SEARCH

A view with a list of items shown in a grid with CRUD and Search functionality. You can filter grid results by entering values in the input controls show on the header.

	So	rt Ascending or D	escending	Foreign Key Fie	ld Field w/ Data		Search Controls	Inline	
t of Products									<pre></pre>
Product I 😂 🅇	Product Name	Supplier ID	Outegory ID	Quantity Per Unit	Unit Price	Units In Stock	Units Or Order	Reorder Level	Discontinued
×	x	~	2	12 x	x	x	x	x	~
3	Aniseed Syrup	1	2	12 - 550 ml bottles	\$10.00	13	70	25	False
б	Grandma's Boysenberi	3	2	12 - 8 oz jars	\$25.00	120	0	25	- False
8	Northwoods Cranberr	3	2	12 - 12 oz jars	\$40.00	б	0	0	- False
77	Original Frankfurter g	12	2	12 boxes	\$13.00	32	0	15	False
			_	IN AN Page 1 C	of 1				View 1 - 4 of

- Contains a JQgrid Control. No CRUD functionality (read-only).
- o Contains search functionality in the header of each searchable column
- o Search uses the "AND" operator to satisfy all search filters
- o JQgrid control shows Sort Direction Image in the header
- JQgrid uses Paging in the footer
- o List retrieves data on demand using Skip/Take logic
- \circ $\;$ Uses JSON to retrieve small amounts of data for every page or sort operation
- o One ASP.NET Core 6.0View is generated per table

2.11 LIST WITH SCROLL-LOADING DATA

A view with a list of items shown in a grid. No CRUD functionality. Items are dynamically paged as you scroll through the grid.

					Foreign Key Fi to Detai				Scroll to	Load More Dat	а
		So	ort Ascending or I	Descending	1					\	_
List	of Products										
		Product Name	Supplier ID	Category ID	Quantity Per Unit	Unit Price	Units In Stock	Units On Order	Reorder Level	Discontinued	
10	→40 Bost	ton Crab Meat	<u>19</u>	<u>8</u>	24 - 4 sz tins	\$18.40	123	0	30		_
11	41 Jack	s New England C	<u>19</u>	<u>8</u>	12 - 12 oz cans	\$9.65	85	0	10		
42	42 Sing	gaporean Hokkien	20	<u>5</u>	37 - 1 kg pkgs.	\$14.00	26	0	0	\checkmark	V
43	43 Ipoh	h Coffee	(20)		16 - 500 g tins	\$45.00	17	10	25		
44	44 Gula	a Malacca	20	2	10 - 2 kg bags	\$19.45	27	0	15		
45	45 Roge	ede sild	21	8	1 k pkg.	\$9.50	5	70	15		
16	46 Spec	gesild	21	<u>8</u>	4 - 450 g glasses	\$12.00	95	0	0		
47	47 Zaar	nse koeken	22	3	10 - 4 oz boxes	\$9.50	36	0	0		
48	48 Cho	colade	22	3	10 pkgs.	\$12.75	15	70	25		1
49	49 Max	cilaku	<u>23</u>	<u>3</u>	24 - 50 g pkgs.	\$20.00	10	60	15		Т
50	50 Valk	koinen suklaa	<u>23</u>	3	12 - 100 g bars	\$16.25	65	0	30		
51	51 Man	iimun Dried Annl	24	7	50 - 300 a nkas	\$53.00	20	0	10	View 1 - 60 o	1

- Contains a JQgrid Control. No CRUD functionality (read-only).
- Data dynamically loads as you scroll through the list.
- o JQgrid control shows Sort Direction Image in the header
- No paging controls in the botton of JQGrid
- o List retrieves data on demand using Skip/Take logic
- \circ Uses JSON to retrieve small amounts of data for every page or sort operation
- One ASP.NET Core 6.0 View is generated per table

2.12 LIST WITH INLINE ADD AND EDIT

A view with a list of items shown in a grid with CRUD functionality. Add a new record and update an existing item in line with the grid.

Add New Prod	<u>ucts</u>	Sort Ascending or Desce	nding			Inlin	e Form Controls	Inline Si	ave Button	\backslash	
List of Products Product II	Product Name	Supplier ID Category ID	Qua	ntity Per Unit	Unit Price	Units In Strek	Units OL Order	Rearder Level	Discontinued		
\smile	Whatever				123.00	456	0	0		ø	
	1 Chai	1 - Exotic Liquids 2 - New Orleans Cajun Delights		es x 20 bags	\$18.00	3	9 0	10	False		
	2 Chang	3 - Grandma Kellys Homestead 4 - Tokvo Traders		oz bottles	\$19.00	1	7 40	25	False		
	3 Aniseed Syrup	5 - Cooperativa de Quesos Las Cabras		0 ml bottles	\$10.00	1	3 70	25	False		
	4 Chef Anton's Cajun S	6 - Mayumis 7 - Pavlova Ltd		oz jars	\$22.00	5	3 0	0	False		
	5 Chef Anton's Gumbo	8 - Specialty Biscuits Ltd 9 - PB Knckebrd AB		es	\$21.35		0 0	0	True		
	6 Grandma's Boysenbe	10 - Refrescos Americanas LTDA		oz jars	\$25.00	12	0 0	25	False		
	7 Uncle Bob's Organic	11 - Heli Swaren GmbH Co KG 12 - Plutzer Lebensmittelgromrkte AG		b pkgs.	\$30.00	1	5 0	10	False		
	8 Northwoods Cranber	13 - Nord-Ost-Fisch Handelsgesellscha 14 - Formaggi Fortini srl	ıft mbH	oz jars	\$40.00		5 0	0	False		
	9 Mishi Kobe Niku	15 - Norske Meierier		0 g pkgs.	\$97.00	2	9 0	0	True		
1	0 Ikura	16 - Bigfoot Breweries 17 - Svensk Sjfda AB		0 mljars	\$31.00	3	1 0	0	False		
		18 - Aux joyeux ecclsiastiques 19 - New England Seafood Cannery 20 - Leka Trading 21 - Lyngbysild 22 - Zaanse Snoepfabriek		- ≺e Page [of 19 ▶> ▶1	10 🗸			View	1 - 11 o	of
Foreign Key Fie	eld w/ Data	23 - Karkki Oy 24 - Gday Mate 25 - Ma Maison 26 - Pasta Buttini srl 27 - Escargots Nouveaux 28 - Gai pturage 29 - Forts drables		Jump t	ontrols: First, Prev o a Specific Page, ast, and Number (2				

- Contains a JQgrid Control.
- \circ $\;$ Add a new record on the same page inline the header of the List.
- o Update an existing record inline on the same page
- o Delete funtionality uses a JQuery UI Pop-up for delete confirmation
- o JQgrid control shows Sort Direction Image in the header
- o JQgrid uses Paging in the footer
- List retrieves data on demand using Skip/Take logic
- Uses JSON to retrieve small amounts of data for every page, and sort operation
- o One ASP.NET Core 6.0 View is generated per table

2.13 List with Manual For Each Loop

A view with a list of manually-looped items shown in a grid with CRUD functionality. Adding or updating an item redirects to another page.

Add New Proc	ducts Sor	t Ascending o	or Descending		1	Details Page		Edit Exist	ing Item	\backslash	
	Product Name	Supplier ID	Category ID	Quantity Per Unic	Unit Price	Units In Stock	Units On Order	Reorder Level	Discontinued		Ν
1	Chai	1	1	10 boxes x 29 bags	\$18.00	39	0	10		V	1
2	Chang	1	1	24 - 12 oz bottles	\$19.00	17	40	25		Ø	Ē
3	Aniseed Syrup	1	2	12 - 550 ml bottles	\$10.00	13	70	25		0	Ē
4	Chef Anton's Cajun Seasoning	2	2	48 - 6 oz jars	\$22.00	53	0	0		Ø	6
5	Chef Anton's Gumbo Mix	2	2	36 boxes	\$21.35	0	0	0	\checkmark	Ø	
6	Grandma's Boysenberry Spread	3	2	12 - 8 oz jars	\$25.00	120	0	25		Ø	ľ
7	Uncle Bob's Organic Dried Pears	3	Z	12 - 1 lb pkgs.	\$30.00	15	0	10		Ø	6
8	Northwoods Cranberry Sauce	3	2	12 - 12 oz jars	\$40.00	6	0	0		Ø	
9	Mishi Kobe Niku	4	<u>6</u>	18 - 500 g pkgs.	\$97.00	29	0	0	1	Ø	6
10	Ikura	4	8	12 - 200 ml jars	\$31.00	31	0	0		Ø	
11	Queso Cabrales	5	4	1 kg pkg.	\$21.00	22	30	30		0	
12	Queso Manchego La Pastora	5	4	10 - 500 g pkgs.	\$38.00	86	0	0		Ø	6
13	Konbu	<u>6</u>	8	2 kg box	\$6.00	24	0	5		0	1
14	Tofu	<u>6</u>	Z	40 - 100 g pkgs.	\$23.25	35	0	0		Ø	6
15	Genen Shouyu	<u>6</u>	2	24 - 250 ml bottles	\$15.50	39	0	5		Ø	

- No JQgrid control. The list is manually created using a Foreach loop.
- o Has CRUD (Create, Retrieve, Update, Delete) functionality.
- o Adding a new record redirects to another page
- \circ $\;$ Updating an existing record redirects to another page
- o Delete functionality uses a JQuery UI Pop-up for delete confirmation
- o Sorting and Paging manually-built
- o List shows manually-built Sort Direction Image in the header
- List retrieves data on demand using Skip/Take logic
- One ASP.NET Core 6.0 View is generated per table

2.14 LIST WITH MASTER DETAIL (GRID)

A view with two grids with a master-detail relationship. No CRUD functionality. Clicking an item in the first grid loads related items in the second grid.

List of Pro	ducts By	/ Categories									
		Category ID 🗘)		Categor	y Name			Description		
				1 Beverages				inks, coffees, teas, beer	-		
				2 Condiments				and savory sauces, relis		onings	
				3 Confections			Desser	ts, candies, and sweet b	breads		
				4 Dairy Product	5		Cheese	s			
				5 Grains/Cereal	s		Breads,	crackers, pasta, and ce	ereal		
					14 <4 Page 1 0	f3 🕨 🖬 5 🔽				View 1 - 5 (
		or Descending	Page Controls:	First, Previous, Ju	mp to a Specific Pa	ge, Next, Last and I	Number of Items p	oer Page	Total Numbe	er of Records	
List of Pro	ductr By	/ Category ID: 2	-			-		-			
	ducte By	/ Category ID: 2 Product Name	Page Controls: Supplier ID	Category ID	Quantity Per Unit	Unit Price	Number of Items p Units In Stock	Units On Order	Total Numbe	Discontinue	
List of Pro		Aniseed Syrup	-	Category ID		-		-		Discontinue	
List of Pro		/ Category ID: 2 Product Name	-	Category ID 2	Quantity Per Unit	Unit Price	Units In Stock	Units On Order	Reorder Level	Discontinue	
List of Pro	ducto By	Aniseed Syrup	-	Category ID 2 2	Quantity Per Unit 12 - 550 ml bottles	Unit Price \$10.00	Units In Stock 13	Units On Order	Reorder Level	Discontinue	
List of Pro	ductr By	Aniseed Syrup Chef Anton's Cajun Se	-	Category ID 2 2 2	Quantity Per Unit 12 - 550 ml bottles 48 - 6 oz jars	Unit Price \$10.00 \$22.00	Units In Stock 13	Units On Order	Reorder Level 25 0	Discontinue	
List of Pro	ductr By 4 5 6	Y Category ID: 2 Product Name Aniseed Syrup Chef Anton's Cajun Se Chef Anton's Gumbo I	-	Category ID 2 2 2 2 2 2	Quantity Per Unit 12 - 550 ml bottles 48 - 6 oz jars 36 boxes	Unit Price \$10.00 \$22.00 \$21.35	Units In Stock 13 53 0	Units On Order	Reorder Level 25 0 0	Discontinue	
List of Pro	duct By 3 4 5 6 8	r Category ID: 2 Product Name Aniseed Syrup Chef Anton's Cajun Se Chef Anton's Gumbo I Grandma's Boysenberg	-	Category ID 2 2 2 2 2 2 2 2 2 2 2	Quantity Per Unit 12 - 550 ml bottles 48 - 6 oz jars 36 boxes 12 - 8 oz jars	Unit Price \$10.00 \$22.00 \$21.35 \$25.00	Units In Stock 13 53 0 120	Units On Order	Reorder Level 25 0 0 25	Discontinue 	
List of Pro	duct By 3 4 5 6 8 15	Category ID: 2 Product Name Aniseed Syrup Chef Anton's Cajun Se Chef Anton's Cumbo I Grandma's Boysenberi Northwoods Cranberri	-	Category ID 2 2 2 2 2 2 2 2 2 2 2 2 2	Quantity Per Unit 12 - 550 ml bottles 48 - 6 oz jars 36 boxes 12 - 8 oz jars 12 - 12 oz jars	Unit Price \$10.00 \$22.00 \$21.35 \$25.00 \$40.00	Units In Stock 13 53 0 120 6	Units On Order	Reorder Level 25 0 0 25 0	Discontinue	
List of Pro	duct by 3 4 5 6 8 15 44	Category ID: 2 Product Name Aniseed Syrup Chef Anton's Cajun Se Chef Anton's Gumbo I Grandma's Boysenberi Northwoods Cranberri Genen Shouyu	Supplier ID 1 2 2 3 3 3 6	Category ID 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Quantity Per Unit 12 - 550 ml bottles 48 - 6 oz jars 36 boxes 12 - 8 oz jars 12 - 12 oz jars 24 - 250 ml bottles	Unit Price \$10.00 \$22.00 \$21.35 \$25.00 \$40.00 \$15.50	Units In Stock 13 53 0 120 6 39	Units On Order	Reorder Level 25 0 0 25 25 0 5	Discontinue	
List of Pro	duct by 1 0 3 4 5 6 8 15 44 61	Category ID: 2 Product Name Aniseed Syrup Chef Anton's Cajun Se Chef Anton's Gumbo t Grandma's Boysenber Northwoods Cranberr Genen Shouyu Cula Malacca	Supplier ID 1 2 2 3 3 6 20	Category ID 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Quantity Per Unit 12 - 550 ml bottles 48 - 6 oz jars 36 boxes 12 - 8 oz jars 12 - 12 oz jars 24 - 250 ml bottles 20 - 2 kg bags	Unit Price \$10.00 \$22.00 \$21.35 \$25.00 \$40.00 \$15.50 \$19.45	Units In Stock 13 53 0 120 6 39 27	Units On Order	Reorder Level 25 0 0 25 25 0 5 5 15	Discontinue	

Page Controls: First, Previous, Jump to a Specific Page, Next, Last and Number of Items per Page

- Total Number of Records
- Contains 2 JQgrid Controls with a Master-Detail relationship, one on top of the other. No CRUD functionality (read-only).
- o Clicking an item in the first (master) grid loads related items in the second (details) grid
- o Both JQgrid controls shows Sort Direction Image in the header
- o Both JQgrid uses Paging in the footer
- Both list retrieves data on demand using Skip/Take logic
- o Both list Uses JSON to retrieve small amounts of data for every page or sort operation
- One ASP.NET Core 6.0 View is generated for each foreign key in each table

2.15 LIST WITH MASTER DETAIL (SUB GRID)

A view with a grid within another grid with a master-detail relationship. No CRUD functionality. Expanding an item in the master grid loads related items in the sub grid.

Lis	t of Products By C	ategories 💦 🦳									
		Category 📌			Categor	y Name		Description			
-				1 Beverages		Soft	drinks, coffees, teas, I	beers, and ales			
	Product ID 🗘	Product Name	Supplier ID	Category ID	Quantity Per Unit	Unit Price	Units In Stock	Units On Order	Reorder Level	Discontinued	
		1 Chai	1		1 10 boxes x 20 bags	\$18.00	39	0	10		
		2 Chang	1		1 24 - 12 oz bottles	\$19.00	17	40	25		
		24 Guaraná Fantástica	10		1 12 - 355 ml cans	\$4.50	20	0	0	1	
		34 Sasquatch Ale	16		1 24 - 12 oz bottles	\$14.00	111	0	15		
		35 Steeleye Stout	16		1 24 - 12 oz bottles	\$18.00	20	0	15		
					Page 1 of	f4 🕨 🖬 5 🔽	•			View 1 - 5 c	
	Detail: Sort /	Ascending or Descendir	ng Page Con	trols: First, Previo	ous, Jump to a Specific	: Page, Next, Last a	nd Number of Item	s per Page	Total Numb	per of Records	
+				2 Condiments			Swee	t and savory sauces, i	relishes, spreads, and	l seasonings	
+				3 Confections			Dess	erts, candies, and swe	eet breads		
+				4 Dairy Produc	ts		Chee	ses			
+				5 Grains/Cerea	le	Break	ls, crackers, pasta, an	nd careal			

- Contains 2 JQgrid Controls with a Master-Detail relationship, a grid (sub grid) within another grid. No CRUD functionality (read-only).
- Expanding an item in the master grid loads related items in the sub grid
- o Both JQgrid controls shows Sort Direction Image in the header
- Both JQgrid uses Paging in the footer
- Both list retrieves data on demand using Skip/Take logic
- Both list Uses JSON to retrieve small amounts of data for every page or sort operation
- One ASP.NET Core 6.0 View is generated for each foreign key in each table

2.16 LIST WITH MULTIPLE DELETE

A view with a list of items shown in a grid with CRUD functionality.

Add New Pr	Selects/Unsel	ects All items for Delet	ion Sort Ascendi	ing or Descending	Clicking	anywhere in the row	redirects to Edit Exis	iting item
t of Produc	cts			-		1		
Product	II Product Name	Supplier ID	Category ID Quantity Per Unit	Unit Price	Units In Stock	Units On Order	Reorder Level	Discontinued
	1 Chai	1	1 10 boxes x 20 bags	\$18.00	39	0	10	
	2 Chang	1	24 - 12 oz bottles	\$19.00	17	40	25	
	3 Aniseed Syrup	1	2 12 - 550 ml bottles	\$10.00	13	70	25	
	4 Chef Anton's Cajun Se	2	2 48 - 6 oz jars	\$22.00	53	0	0	
\mathbf{X}	5 Chef Anton's Gumbo	2	2 36 boxes	\$21.35	0	0	0	
	6 Grandma's Boysenber	3	2 12 - 8 oz jars	\$25.00	120	0	25	
	7 Uncle Bob's Organic E	3	7 12 - 1 lb pkgs.	\$30.00	15	0	10	
	8 Northwoods Cranberr	3	2 12 - 12 oz jars	\$40.00	6	0	0	
	9 Mishi Kobe Niku	4	6 18 - 500 g pkgs.	\$97.00	29	0	0	V
	1kura	4	8 12 - 200 ml jars	\$31.00	31	0	0	
	Check Items indi	vidually for Deletion	ia <a 1="" of<="" page="" td=""><td>8 🕨 🖬 10 🗸</td><td></td><td></td><td></td><td>View 1 - 10 c</td>	8 🕨 🖬 10 🗸				View 1 - 10 c

- Contains a JQgrid Control
- o Adding a new record redirects to another page
- \circ $\,$ Clicking anywhere in the row redirects to another page for Updating an existing record
- o Multiple Delete functionality uses a JQuery UI Pop-up for delete confirmation
- o Select/Unselect All records for delete operation
- o JQgrid control shows Sort Direction Image in the header
- o JQgrid uses Paging in the footer
- List retrieves data on demand using Skip/Take logic
- \circ Uses JSON to retrieve small amounts of data for every page or sort operation
- \circ $\,$ One ASP.NET Core 6.0 View is generated per table

2.17 LIST BY FOREIGN KEY

A view with a list of items shown in a grid Listed By a Foreign Key. No CRUD functionality.

Categories: Beverage	s 👻 🗕 Li	sted By (Category)		Sort Ascen	ding or Descending				
List of Products By	/ Categories								
Product II	Product Name	Supplier ID	Category ID	Quantity Per Unit	Unit Price	Units In Stock	Units On Order	Reorder Level	Discontinued
1	Chai	1	1	10 boxes x 20 bags	\$18.00	39	0	10	
2	Chang	1	1	24 - 12 oz bottles	\$19.00	17	40	25	
24	Guaraná Fantástica	0	1	12 - 355 ml cans	\$4.50	20	0	0	~
34	Sasquatch Ale	<u>16</u>	1	24 - 12 oz bottles	\$14.00	111	0	15	
35	Steeleye Stout	16		24 - 12 oz bottles	\$18.00	20	0	15	
38	Côte de Blaye	18	1	12 - 75 cl bottles	\$263.50	17	0	15	
39	Chartreuse verte	18	1	750 cc per bottle	\$18.00	69	0	5	
43	Ipoh Coffee		1	16 - 500 g tins	\$46.00	17	10	25	
67	Laughing Lumberick	<u>16</u>	1	24 - 12 oz bottles	\$14.00	52	0	10	
70	Outback Lager	Z	1	24 - 355 ml bottles	\$15.00	15	10	30	
				I a <a 1="" o<="" page="" td=""><td>f0 🕞 🛌 ы 🛛 10 🗸</td><td></td><td></td><td></td><td>View 1 - 10 o</td>	f0 🕞 🛌 ы 🛛 10 🗸				View 1 - 10 o
Link to For	reign Field's Details F	Page Page Co	ntrols: First, Previou	s, Jump to a Specific	Page, Next, Last, and	d Number of Items pe	r Page	Total	Number of Reco

- Contains a JQgrid Control. No CRUD functionality (read-only)
- Lists items by Foreign Key. A Drop Down box determines related items to list
- A link to the *Record Details* page is provided for all Foreign Key columns (for details on the foreign key)
- o JQgrid control shows Sort Direction Image in the header
- JQgrid uses Paging in the footer
- List retrieves data on demand using Skip/Take logic
- o Uses JSON to retrieve small amounts of data for every page or sort operation
- One ASP.NET Core 6.0 View is generated per table's Foreign Key, only for tables that have at least 1 Foreign Key

2.18 UNBOUND VIEW

A view with validated input controls which can be used for adding a new record or updating a record. Not bound/connected to the database so you will need to add your own code to bind it to the database.

Note: This is the only view that is generated by the AspCoreGen 6.0 Express Edition. Also generated by AspCoreGen 6.0 Professional Edition.

Jnbound Reco	rd									
		Foreign	Key F	ield (No d	ata)				
Product Name: *			/		(🔁 Pro	duct N	lame i	is requ	uired!
Supplier ID:	Select One									
Category ID:	Sele	ect One			~					Client-side Validatio
Quantity Per Unit:	1									Client-side validation
Unit Price:	a					迟 Uni	t Price	e musi	t be a	a valid decimal!
Units In Stock:	b				(这 Uni	ts In S	tock r	nust b	be a number!
Units On Order:	123					-				veen -32768 and 32767
Reorder Level:	d	Add Record								nber!
Discontinued:										
		Customer ID:	Sele	ct On	e					
	9	Employee ID:	Sele	ct On	e					JQuery UI Themes
		Order Date:	1							
		Required Date:	0	N	lover	nber	201	7	D	
		Shipped Date:	Su	Мо	Ти	We	Th	Fr	Sa	
		Ship Via:	Su	мо	Tu	we				
		Freight:				1	2	3	4	
		Ship Name:	5	6	7	8	9	10	11	
		Ship Address:	12	13	14	15	16	17	18	
		Ship City:	19	20	21	22	23	24	25	
		Ship Region:	-26	-27	28	-29	-30			
		Ship Postal Code:								

- MVC views that are not bound to the database
- Contains JQuery Validation
- o Contains JQuery UI Date Controls for date fields
- o Contains unbound DropDownList for foreign fields
- \circ $\,$ Can be used when adding a new record or updating an existing record
- \circ $\,$ One ASP.NET Core 6.0 View is generated per table

Directly related to the *Views to Generate*. A list of ASP.NET MVC view *File Names* that will be generated by AspCoreGen 6.0 MVC. These view *File Names* are filled by default. You can, however, change any of the view *File Name* as you see fit.

3.1 LISTCRUDREDIRECT (DEFAULT)

When generated, the default view name will be *ListCrudRedirect*.cshtml. Related to the *List with Add, Edit, Redirect, & Delete* Views to Generate.

3.2 ADD (DEFAULT)

When generated, the default view name will be *Add*.cshtml. Related to the *Add New Record* Views to Generate.

3.3 UPDATE (DEFAULT)

When generated, the default view name will be *Update*.cshtml. Related to the *Update Record* Views to Generate.

3.4 DETAILS (DEFAULT)

When generated, the default view name will be *Details*.cshtml. Related to the *Record Details (Read-Only)* Views to Generate.

3.5 LISTREADONLY (DEFAULT)

When generated, the default view name will be *ListReadOnly*.cshtml. Related to the *List (Read-Only)* Views to Generate.

3.6 LISTCRUD (DEFAULT)

When generated, the default view name will be *ListCrud*.cshtml. Related to the *List with Add, Edit, & Delete* (Same Page) Views to Generate.

3.7 LISTGROUPEDBY (DEFAULT)

When generated, the default view name will be *ListGroupedBy***ForeignKey**.cshtml. A view/file is generated for each of the *Foreign Key* in a table, and will only be generated for database tables with at least one foreign key. Related to the *List with Grouping* Views to Generate. For example, the *Products* table for the *Northwind* database have 2 *Foreign Keys; CategoryID* and *SupplierID*. The generated views for the Products table will be:

- o ListGroupedByCategoryID.cshtml
- ListGroupedBySupplierID.cshtml

3.8 LISTTOTALS (DEFAULT)

When generated, the default view name will be *ListTotals*.cshtml. A view/file is generated for database tables that have a SQL column type *Money*. Related to the *List with Totals* Views to Generate.

3.9 LISTTOTALSGROUPEDBY (DEFAULT)

When generated, the default view name will be *ListTotalsGroupedBy***ForeignKey**.cshtml. A view/file is generated for each of the *Foreign Key* in a table, and will only be generated for database tables with at least one foreign key and database tables that have a SQL column type *Money*. Related to the *List with Totals and Grouping* Views to Generate. For example, the *Products* table for the *Northwind* database have 2 *Foreign Keys; CategoryID* and *SupplierID*. The generated views for the Products table will be:

- o ListTotalsGroupedByCategoryID.cshtml
- ListTotalsGroupedBySupplierID.cshtml

3.10 LISTSEARCH (DEFAULT)

When generated, the default view name will be *ListSearch*.cshtml. Related to the *List with Search* Views to Generate.

3.11 LISTSCROLLLOAD (DEFAULT)

When generated, the default view name will be *ListScrollLoad*.cshtml. Related to the *List Scroll-Load Data* Views to Generate.

3.12 LISTINLINE (DEFAULT)

When generated, the default view name will be *ListInline*.cshtml. Related to the *List with Inline Add & Edit* Views to Generate.

3.13 ListForeach (DEFAULT)

When generated, the default view name will be *ListForeach*.cshtml. Related to the *List with Manual For Each* Views to Generate.

3.14 LISTMASTERDETAILGRIDBY (DEFAULT)

When generated, the default view name will be *ListMasterDetailGridBy***ForeignKey**.cshtml. A view/file is generated for each of the *Foreign Key* in a table, and will only be generated for database tables with at least one foreign key. Related to the *List with Master Detail (Grid)* Views to Generate. For example, the *Products* table for the *Northwind* database have 2 *Foreign Keys; CategoryID* and *SupplierID*. The generated views for the Products table will be:

- o ListMasterDetailGridByCategoryID.cshtml
- o ListMasterDetailGridBySupplierID.cshtml

3.15 LISTMASTERDETAILSUBGRIDBY (DEFAULT)

When generated, the default view name will be *ListMasterDetailSubGridBy***ForeignKey**.cshtml. A view/file is generated for each of the *Foreign Key* in a table, and will only be generated for database tables with at least one foreign key. Related to the *List with Master Detail (Sub Grid)* Views to Generate. For example, the *Products* table for the *Northwind* database have 2 *Foreign Keys; CategoryID* and *SupplierID*. The generated views for the Products table will be:

- o ListMasterDetailSubGridByCategoryID.cshtml
- o ListMasterDetailSubGridBySupplierID.cshtml

3.16 LISTMULTIPLEDELETE (DEFAULT)

When generated, the default view name will be *ListForeach*.cshtml. A view/file is generated for database tables that have only One *Primary Key*. Related to the *List with Multiple Delete* Views to Generate.

3.17 LIST BY (DEFAULT)

When generated, the default view name will be *ListBy***ForeignKey**.cshtml. A view/file is generated for each of the *Foreign Key* in a table, and will only be generated for database tables with at least one foreign key. Related to the *List by Foreign Key* Views to Generate. For example, the *Products* table for the *Northwind* database have 2 *Foreign Keys; CategoryID* and *SupplierID*. The generated views for the Products table will be:

- o ListByCategoryID.cshtml
- ListBy**SupplierID**.cshtml

3.18 UNBOUND (DEFAULT)

When generated, the default view name will be *Unbound*.cshtml. Related to the *Unbound View* Views to Generate.

Note: This is the only view/file that is generated by the AspCoreGen 6.0 Express Edition. Also generated by AspCoreGen 6.0 Professional Edition.

4 MODEL VIEW CONTROLLER (MVC)

The *Model View Controller (MVC)* is not listed in the *UI Settings Tab*. However, ASP.NET MVC is the user interface technology generated by AspCoreGen 6.0 MVC. Technically, the *View* and the *Controller* part of ASP.NET MVC is the user interface technology generated by AspCoreGen 6.0 MVC. The *Model* (and *View Model*) is used to supply data or used as a *Class* of properties by the *View* and/or the *Controller* and can be reused by other projects or clients.

The generated code is layered in an *N*-Tier architecture:

- Front End (User Interface Presentation Layer) Views, Controllers, JavaScript, CSS, JQuery, and more.
- Business Layer (Middle Tier) Business Logic Files, Models, Views, View Models, etc.
- o Data Repository (Data Tier) using Linq-to-Entities Entity Framework Core or Ad-Hoc SQL.
- SQL Scripts (Stored Procedures).

The whole Web Application Project that is generated by AspCoreGen 6.0 MVC is the Front End (User Interface) part of the N-Tier. This will be the MyApp.csproj project that is shown as an example in the Code Settings Tab (document) tutorial (Web Application – 2.1). This project contains the generated MVC Views and Controllers.

4.1 CONTROLLER AND VIEW RELATIONSHIP

A *Controller* is generated per database table or view. When an MVC view is generated, an *Action Method* for that MVC view is also generated as an entry in the respective *Controller*. In short, a *Controller* can have many *Action Methods*.

* The Selected Tables tab will only automatically open when the Automatically Open Selected Tables or Selected Views Tab check box is Checked, which is the default.

This tutorial offers a quick look in using AspCoreGen 6.0 MVC. You can read end-to-end tutorials on more subjects on using AspCoreGen 6.0 MVC Professional Plus that came with your purchase. These tutorials are available to customers and are included in a link on your invoice when you purchase AspCoreGen 6.0 MVC Professional.

Note: Some features shown here are not available in the Express Edition.

End of tutorial.